

Permanent pacemaker

Your doctor has recommended you undergo the implantation of a permanent pacemaker (PPM).

You might not have heard this medical term before now and may be feeling unsure about the nature of the procedure.

This information sheet outlines what the procedure involves and what preparations and risks are involved.

After you read this information sheet, you might still have questions. If you do, please contact the team at Heart HQ. We're here to help.

1. What is a pacemaker?

A pacemaker is a small device that treats a slow heartbeat.

There are three different types of pacemakers. Your doctor will advise which one best suits your condition.

- **Single chamber**—features one lead that goes to the lower chamber of your heart
- **Dual chamber**—features two leads, one to the upper and one to the lower chamber of your heart
- **Biventricular**—features three leads, one to the upper and two to the lower chamber of your heart

All types of pacemakers are made of two parts—a battery-powered pulse generator which expels impulses and a lead/s, which carries impulses to and from the heart.

Everyone's heart is different, so your pacemaker will be 'programmed' by your doctor especially for your needs. Once it's been installed, it will be checked by a technician using an external machine and the rate of the pacemaker can be set. Tests will be done where the pacing speed will be temporarily increased and decreased. Then a 'normal' pacing speed will be set.

Your pacemaker is designed to 'stand by' until your heart rate falls below the set rate determined by your doctor. If this occurs the device will step in and 'pace' your heart rate to the set level.


2. How does it work?

An intravenous line (IV) will be placed into a vein in your arm. This is for the medical team to administer medication throughout your procedure. You may be given antibiotics to prevent infections. A sedative will also be given.

You will have an injection of local anaesthetic below your collarbone. Using a small incision, your doctor will thread the pacemaker lead/s into a vein and down to your heart.

During the procedure, your doctor will be able to see the lead/s using x-ray imaging. Once the lead/s are positioned correctly, we will test them to make sure they are working properly.

The leads will then be connected to the 'pulse generator', which will be placed under the skin before the skin is sewn back together.



National Heart, Lung and Blood Institute

World-class cardiac care

📞 07 5414 1100 📠 07 5414 1101 ✉ admin@hearthq.com.au

Heart HQ Central
Sippy Downs
 Suite 5, Atria
 44 Central Drive
 Sippy Downs QLD 4556

Birtinya
 Suite 4, Ground Floor
 Sunshine Coast University
 Private Hospital
 3 Doherty Street
 Birtinya QLD 4575

Noosa–Tewantin
 Suite 1
 66 Poinciana Avenue
 Tewantin QLD 4565

Gympie
 Ramsay Medical
 Consulting Suites
 70–72 Channon Street
 Gympie QLD 4570

Buderim
 Buderim Private Hospital
 12 Elsa Wilson Drive
 Buderim QLD 4556

Caboolture
 Consulting Suites
 Caboolture Private Hospital
 McKean Street
 Caboolture QLD 4510

Nambour
 Nambour Selangor
 Private Hospital
 62 Netherton Street
 Nambour QLD 4560

3. What do I need to do to prepare?

You will need to fast for six hours before the procedure.

4. What happens after the procedure?

The procedure will be performed in hospital with an overnight stay.

Please note you will not be able to drive a vehicle for two weeks after having a pacemaker installed.

Please limit your arm movement on the side of the pacemaker for the first two weeks to allow the pacemaker levels to settle.

We will check the device system in your device clinic appointments.

It is important that after your pacemaker has been implanted, you remember to tell your future treating medical teams, especially if an MRI is ordered.

6. What kind of risks are associated with this procedure?

Any kind of procedure carries some element of risk, often very small and rare.

Your doctor has balanced the benefits and risks of carrying out the test against the benefits and risks of not proceeding. If your doctor has recommended this procedure, they believe there is benefit to you going ahead.

It's important you understand the risks involved so you can make an informed decision.

Here are the most commonly reported risks and complications associated with a pacemaker installation.

Uncommon risks and complications (1–5% of cases)

- The pacemaker lead can move—the lead will need to be put back in place by repeating this procedure
- Some bruising if you are taking blood thinning medications
- Pocket bleeding
- Pocket infection

Rare risks and complications (less than 1% of cases)

- A punctured lung—this may require a tube to be inserted into the chest to reinflate the lung
- Blood clot in the subclavian vein
- A hole is accidentally made in the heart valve—this may require surgery or drainage to repair
- Blood clot in the lung
- Heart attack
- A stroke—this can cause long-term disability
- Death is possible due to the procedure or other heart problems

Our commitment to you

As a patient of Heart HQ, you can be assured we will always strive to act in your best interests and we will only recommend tests and procedures we believe will benefit you.

Everyone has questions, and we want to answer yours. Please contact your doctor to talk over any concerns you might have.

World-class cardiac care

 07 5414 1100  07 5414 1101  admin@hearthq.com.au

Heart HQ Central Sippy Downs
Suite 5, Atria
44 Central Drive
Sippy Downs QLD 4556

Birtinya
Suite 4, Ground Floor
Sunshine Coast University
Private Hospital
3 Doherty Street
Birtinya QLD 4575

Noosa–Tewantin
Suite 1
66 Poinciana Avenue
Tewantin QLD 4565

Gympie
Ramsay Medical
Consulting Suites
70–72 Channon Street
Gympie QLD 4570

Buderim
Buderim Private Hospital
12 Elsa Wilson Drive
Buderim QLD 4556

Caboolture
Consulting Suites
Caboolture Private Hospital
McKean Street
Caboolture QLD 4510

Nambour
Nambour Selangor
Private Hospital
62 Netherton Street
Nambour QLD 4560